

TORRINGTON AREA HEALTH DISTRICT

350 Main Street ♦ Suite A ♦ Torrington, Connecticut 06790

Phone (860) 489-0436 ♦ Fax (860) 496-8243 ♦ E-mail info@tahd.org ♦ Web Address www.tahd.org

"Promoting Health & Preventing Disease Since 1967"

TO: PARK & RECREATION DEPT.

FROM: THOMAS STANSFIELD, DEPUTY DIRECTOR OF HEALTH

RE: BATHING WATER SAMPLING

Enclosed please find the summary data for the most recent round of bathing water samples collected from **LITCHFIELD TOWN BEACH** in **LITCHFIELD**.

The indicator organism used for monitoring bathing water is the E. coli bacteria. A concentration of E. coli organisms greater than or equal to 235 per 100 ml is generally considered unsatisfactory for a single sample from a bathing area. A resample is collected when results exceed the 235 per 100 ml level. When sample analysis shows continued occurrence of E. coli in excess of 235, a sanitary survey of the watershed may be necessary. Other factors that have an influence of the water quality are: bather loading, dilution rates, rainfall, storm water discharges and sanitary conditions on the watershed. Large populations of waterfowl on a watershed can be contributing factor to elevated bacterial levels in the bathing water.

If you have any questions regarding these results, please feel free to call.

RESULTS

COLLECTION DATE	7/9/2024	RESULTS OF SAMPLE	<10	/100ml
COLLECTION POINT	Litchfield Town Beach			

Sincerely,

Thomas Stansfield
Deputy Director of Health

TORRINGTON AREA HEALTH DISTRICT

350 Main Street ♦ Suite A ♦ Torrington, Connecticut 06790

Phone (860) 489-0436 ♦ Fax (860) 496-8243 ♦ E-mail info@tahd.org ♦ Web Address www.tahd.org

"Promoting Health & Preventing Disease Since 1967"

TO: PARK & RECREATION DEPT.

FROM: THOMAS STANSFIELD, DEPUTY DIRECTOR OF HEALTH

RE: BATHING WATER SAMPLING

Enclosed please find the summary data for the most recent round of bathing water samples collected from **LITCHFIELD TOWN BEACH** in **LITCHFIELD**.

The indicator organism used for monitoring bathing water is the E. coli bacteria. A concentration of E. coli organisms greater than or equal to 235 per 100 ml is generally considered unsatisfactory for a single sample from a bathing area. A resample is collected when results exceed the 235 per 100 ml level. When sample analysis shows continued occurrence of E. coli in excess of 235, a sanitary survey of the watershed may be necessary. Other factors that have an influence of the water quality are: bather loading, dilution rates, rainfall, storm water discharges and sanitary conditions on the watershed. Large populations of waterfowl on a watershed can be contributing factor to elevated bacterial levels in the bathing water.

If you have any questions regarding these results, please feel free to call.

RESULTS

COLLECTION DATE	7/9/2024	RESULTS OF SAMPLE	<10	/100ml
COLLECTION POINT	Litchfield Town Beach			

Sincerely,

Thomas Stansfield
Deputy Director of Health